



SEQUENCE LISTING

<110> Nuevolution A/S
<120> Proximity-aided synthesis of templated molecules
<130> TM6-PCT
<150> DK PA 2002 01347
<151> 2002-12-09
<150> US 60/409,968
<151> 2002-12-09
<160> 11
<170> PatentIn version 3.2
<210> 1
<211> 21
<212> DNA
<213> artificial sequence
<220>
<223> Oligonucleotide O1 used as template in example 1
<220>
<221> misc_feature
<222> (1)..(1)
<223> n is Amino-Modifier C6 dT (Glen Research Catalogue #
10-1039-90)
<400> 1
ncgatggatg ctccaggtcg c 21
<210> 2
<211> 12
<212> DNA
<213> artificial sequence
<220>
<223> Oligonucleotide O2 used for preparing building block 1 in
example 1
<220>
<221> misc_feature
<222> (1)..(1)
<223> n is g modified with Biotin phosphoramidite (Glen Research
catalogue #
10-1953-95)
<220>
<221> misc_feature
<222> (12)..(12)
<223> n is g modified with C6 S-S thiol modifier (Glen Research
catalogue # 10-1936-90)
<400> 2
nagcatcca tcn 12
<210> 3
<211> 15
<212> DNA
<213> Artificial Sequence
<220>

<223> Oligonucleotide O3 used in example 1 for preparation of the second building block
<220>
<221> misc_feature
<222> (1)..(1)
<223> n is c modified with Biotin Phosphoramidite (Glen Research, catalogue # 10-1953-95)
<220>
<221> misc_feature
<222> (15)..(15)
<223> n is g modified with C6 S-S thiol modifier (Glen Research, catalogue #10-1936-90)
<400> 3
ntggagcat ccatcn 15
<210> 4
<211> 20
<212> DNA
<213> artificial sequence
<220>
<223> Oligonucleotide O4 used in example 1 for preparation of the third building block
<220>
<221> misc_feature
<222> (1)..(1)
<223> n is g modified with Biotin Phosphoramidite (Glen Research, catalogue # 10-1953-95)
<220>
<221> misc_feature
<222> (20)..(20)
<223> n is g modified with C6 S-S thiol modifier (Glen Research, catalogue #10-1936-90)
<400> 4
ncgacctgg agcatccatcn 20
<210> 5
<211> 12
<212> DNA
<213> Artificial Sequence
<220>
<223> Oligonucleotide O5 used in example 2 for preparation of a building block
<220>
<221> misc_feature
<222> (13)..(13)

<223> n is g modified with C6 S-S thiol modifier (Glen Research, catalogue #10-1936-90)
<400> 5
gagcatccat cn 12
<210> 6
<211> 15
<212> DNA
<213> Artificial Sequence
<220>
<223> Oligonucleotide 06 used in example 2 for preparation of a building block
<220>
<221> misc_feature
<222> (15)..(15)
<223> g modified with C6 S-S thiol modifier
<400> 6
ctggagcatc catcn 15
<210> 7
<211> 20
<212> DNA
<213> Artificial Sequence
<220>
<223> Oligonucleotide 07 used in example 2 for preparation of a building block
<220>
<221> misc_feature
<222> (20)..(20)
<223> g modified with C6 S-S thiol modifier
<400> 7
gcgacctgga gcatccatc n 20
<210> 8
<211> 15
<212> DNA
<213> Artificial Sequence
<220>
<223> Oligonucleotide 08 used in example 2 for preparation of a building block
<220>
<221> misc_feature
<222> (15)..(15)
<223> g modified with C6 S-S thiol modifier
<400> 8
gacgagcatc catcn 15
<210> 9
<211> 20

```

<212> DNA
<213> Artificial Sequence
<220>
<223> Oligonucleotide O9 used in example 2 for preparation of a
building
block
<220>
<221> misc_feature
<222> (20)..(20)
<223> g modified with C6 S-S thiol modifier
<400> 9
ctagggacga gcatccatcg 20
<210> 10
<211> 22
<212> DNA
<213> Artificial Sequence
<220>
<223> Oligonucleotide O10 used in example 2 for preparation of a
template
<220>
<221> misc_feature
<222> (22)..(22)
<223> n is a modified with PC Biotin (Glen Research, catalogue #
10-4950-95)
<400> 10
cgatggatgc tcccaggtcg cn 22
<210> 11
<211> 21
<212> DNA
<213> Artificial Sequence
<220>
<223> Oligonucleotide O11 used in example 2 for preparation of a
template
<220>
<221> misc_feature
<222> (21)..(21)
<223> n is a modified with PC Biotin (Glen Research, catalogue #
10-4950-95)
<400> 11
cgatggatgc tcgtccctag n 21

<210> 12
<211> 58
<212> DNA
<213> Artificial

<220>
<223> Synthetic (Template)

```

<220>
<221> misc_feature
<222> (16)..(20)
<223> n is a, c, g, or t

<400> 12
agcgctaact gagacnnnnn agaghhhhhg ghhhhhggghh hhhggctcga catgcgta
58

<210> 13
<211> 20
<212> DNA
<213> Artificial

<220>
<223> Synthetic (Nucleotide sequence of scaffold building block)

<220>
<221> misc_feature
<222> (16)..(19)
<223> n is a, c, g, or t

<400> 13
tcgcgattga ctctgnnnnt
20

<210> 14
<211> 10
<212> DNA
<213> Artificial

<220>
<223> Synthetic (First building blocks)

<400> 14
ctcddddddcc
10

<210> 15
<211> 17
<212> DNA
<213> Artificial

<220>
<223> Synthetic (Second building block)

<220>
<221> misc_feature
<222> (4)..(8)
<223> n is inosine.

<400> 15
ctcnnnnncc ddddcc
17

<210> 16
<211> 24
<212> DNA
<213> Artificial

<220>
<223> Synthetic (Third building block)

<220>
<221> misc_feature
<222> (4)..(8)
<223> n is inosine.

<220>
<221> misc_feature
<222> (11)..(15)
<223> n is inosine.

<400> 16
ctcnnnnncc nnnnnccddd ddcc
24

<210> 17
<211> 6
<212> PRT
<213> Artificial

<220>
<223> Synthetic (Hexapeptide used to bind to amino
oligonucleotide to create an identifier molecule)

<400> 17

Cys	Phe	Phe	Lys	Lys	Lys
1				5	